


Product datasheet:

Tissue Transglutaminase

Overview

Product name:	Tissue transglutaminase (tTG)
Alternative names:	TGM2, transglutaminase 2, TG2, TGase C, TGase-H
Uniprot:	P21980
EC.:	2.3.2.13
Description:	Full length recombinant human sequence tissue transglutaminase
Source material:	Expressed in Sf21 cells using baculovirus
Purity:	>90% by SDS-polyacrylamide electrophoresis
Purification:	Purified using Ni-affinity and conventional chromatography procedures
Clinical applications:	Coeliac disease, Neurodegenerative diseases

Images



References

- Lai TS, Davies C and Greenberg CS, (2010) Human tissue transglutaminase is inhibited by pharmacologic and chemical acetylation. *Protein Sci.* 19(2):229-35
- Schaertl S et al, (2010) A profiling platform for the characterization of transglutaminase 2 (TG2) inhibitors. *J Biomol Screen.* 15(5):478-87
- Kurppa K et al, (2011) Antibodies against deamidated gliadin peptides in early-stage celiac disease. *J Clin Gastroenterol.* 45(8):673-8
- Wang Z and Griffin M, (2012) TG2, a novel extracellular protein with multiple functions. *Amino Acids.* 42(2-3):939-49
- Gundemir S et al, (2012) Transglutaminase 2: a molecular Swiss army knife. *Biochim Biophys Acta.* 1823(2):406-19
- Pietsch M et al, (2013) Tissue transglutaminase: an emerging target for therapy and imaging. *Bioorg Med Chem Lett.* 23(24):6528-43
- Jang TH et al, (2014) Crystal structure of transglutaminase 2 with GTP complex and amino acid sequence evidence of evolution of GTP binding site. *PLoS One.* 9(9):e107005
- Korponay-Szabó IR, Troncone R and Discepolo V, (2015) Adaptive diagnosis of coeliac disease *Best Pract Res Clin Gastroenterol.* 29(3):381-98
- Adriaanse M and Leffler DA, (2015) Serum markers in the clinical management of celiac disease. *Dig Dis.* 33(2):236-43
- Dieterich W et al, (1997) Identification of tissue transglutaminase as the autoantigen of celiac disease. *Nat Med.* 3(7):797-801
- Caputo I et al, (2004) Transglutaminase 2 in celiac disease: minireview article. *Amino Acids.* 26(4):381-6
- Van Meensel B et al, (2004) Diagnostic accuracy of ten second-generation (human) tissue transglutaminase antibody assays in celiac disease. *Clin Chem.* 50(11):2125-35
- Bizzaro N et al, (2012) Cutting-edge issues in celiac disease and in gluten intolerance. *Clin Rev Allergy Immunol.* 42(3):279-87

Ordering information

ATT01-02	Tissue Transglutaminase (recombinant)	0.20 mg
ATT01-10	Tissue Transglutaminase (recombinant)	1.0 mg